

**Water Quality of River Saryu in UP
Year 2024**

SNo.	Month	Saryu at Ayodhya					
		pH	DO (mg/l)	BOD (mg/l)	COD (mg/l)	Total Coliform (MPN/100 ml)	Feacal Coliform (MPN/100 ml)
1	January	8.11	9.3	2.6	17.1	2200	1300
2	February	8.07	9.1	2.7	17.3	2300	1100
3	March						
4	April						
5	May						
6	June						
7	July						
8	August						
9	September						
10	October						
11	November						
12	December						
Average		8.09	9.2	2.7	17.2	2250	1200
Category		C					

Class of water		A	B	C	D	E	Below E
1	Dissolved oxygen (mg/l), min	6.0	5.0	4.0	4.0	-	-
2	Biochemical oxygen demand (mg/l), max	2.0	3.0	3.0	-	-	-
3	Total Coliform (MPN/100ml), max	50	500	5000	-	-	-

- A = Drinking water source without conventional treatment but after disinfection**
B= Outdoor bathing (organised)
C = Drinking water source after conventional treatment and disinfection
D = Propagation of wild life and fisheries.
E = Irrigation, Industrial cooling, controlled waste disposal
Below - E = Not meeting A,B,C,D & E criteria

Source: http://www.cpcb.nic.in/Water_Quality_Criteria.php

Prayz
S.A

Rishi
(A.S.O)

[Signature]
(C.I.P.O)